

19 CROSBY DRIVE BEDFORD. MASSACHUSETTS 01730 617-275-2970

> C-583-1-0-148 January 18, 1990

Final Screening Site Inspection Letter Report Dip N' Strip Coventry, Connecticut TDD No. F1-8811-18 REFERENCE No. \$375CT\$1\$I CERCLIS No. CTD065519258

INTRODUCTION

The NUS Field Investigation Team (NUS/FIT) was requested by the Region 1 U.S. Environmental Protection Agency (EPA) Waste Management Division to perform a Screening Site Inspection of the Dip N' Strip facility in Coventry, Connecticut. All tasks were conducted in accordance with Technical Directive Document (TDD) No. F1-8811-18, which was issued to NUS/FIT on February 2, 1989. The Connecticut Department of Environmental Protection (CT DEP) performed a Preliminary Assessment of this property in May 1984. On the basis of the information provided in this Preliminary Assessment, the Dip N' Strip Screening Site Inspection was initiated.

Background information used in the generation of this report was obtained through file searches conducted at the CT DEP and at the EPA. Information was also collected during the onsite reconnaissance, and soil and tap water sampling activities.


This package follows guidelines developed under the Comprehensive Environmental Response, Compensation, and Liability Act of 1980, as amended, commonly referred to as Superfund. However, these documents do not necessarily fulfill the requirements of other EPA regulations such as those under the Resource Conservation and Recovery Act (RCRA) or other federal, state, or local regulations. Screening Site Inspections are intended to provide a preliminary screening of sites to facilitate EPA's assignment of site priorities. They are limited efforts and are not intended to supersede more detailed investigations.

SITE DESCRIPTION

Dip N' Strip is located at 1340 Main Street (Route 31) in Coventry, Connecticut, at the southeastern corner of the intersection of Routes 31 and 275 (Figure 1). The facility consists of a two story building on approximately three acres of land. The building is used for a retail antique and furniture stripping shop. The retail antique business is called "Village Antiques"; the furniture stripping portion of the business is called "Dip N' Strip". Both businesses are currently owned and operated by Allen Wass (NUS/FIT, 1988; CT DEP, 1980).

Furniture stripping operations took place at Dip N' Strip on the first floor in the southeastern corner of the building near the garage door (Figure 2). The remaining areas of the building are used to display antiques for retail sale (NUS/FIT, 1988).

Dip N' Strip is located in a residential area in the center of Coventry. Private residences are located on adjacent properties to the northeast, east and south of the property (Figure 2). A gas station is located to the northwest and a shopping center to the north (NUS/FIT, 1988). Allan Wass mentioned that this gas station reportedly had some leaking underground storage tanks. He said the station replaced the underground tanks and had water from the private well at the station sampled. Samples were reportedly "clean" (NUS/FIT, 1988). NUS/FIT was unable to obtain this data.



wetland located adjacent to the facility to the east; onsite surface water drains southeastward/eastward into this wetland (Figure 2). The wetland drains into Mill Brook approximately 500 feet downstream of the facility (Figure 1). Mill Brook is a Class Bc surface water body, indicating that it has designated uses that include recreational use, fish and wildlife habitat, agricultural use and industrial supply and other legitimate uses including navigation. Mill Brook is utilized by cold water fisheries (Zimmerman, 1989). Mill Brook flows southeastward and joins the Willimantic River, approximately 2.2 miles downstream of the site. The Willimantic River joins the Natchaug River to form the Shetucket River approximately 9.2 miles downstream of the site (USGS, 1970; 1983a; 1984a). The Willimantic and Shetucket Rivers are mainly used for recreational fishing and canoeing. Both rivers are stocked with trout and small mouthed bass. Some areas of the river are used for hunting water fowl. There are no known drinking water intakes within fifteen miles downstream of the facility along these rivers (Kurpaska, 1989d). Available information did not indicate any use for the Mill Brook other than drainage. Wangumbaug Lake, located 900 feet west and upslope of the facility, is used for boating (USGS, 1983a).

According to the Natural Resources Center of the CT DEP, "no Federally Endangered and Threatened Species occur" within four miles of Dip N' Strip. However, there are a few species within this radius that the CT DEP considers "Species of Special Concern". They are listed in Table 1 (Murray, 1989).

Surficial material underlying the site is mapped as glacial till (Stone, et al., 1985). Soil borings during NUS/FIT sampling activities indicated that the overburden underlying the site consists mainly of silt, medium to coarse sand, and gravel to a depth of three feet--this is characteristic of some tills (NUS/FIT, 1988 and Stone et al, 1985). The presence of bedrock outcrops at the north end of the site indicates that overburden thickness in this area is thin, ranging from zero to ten feet below ground surface. At the southern portion of the site, a two to six foot layer of artificial fill overlies the till (NUS/FIT, 1988).

A normal fault trends northeast beneath the middle of the Dip N' Strip property. Bedrock on the southeast side of this fault is mapped as intrusive Canterbury gneiss which is a quartz-oligoclase-biotite-muscovite-granodiorite gneiss. Bedrock at the northwest end of the site is mapped as quartz-oligoclase-biotite-muscovite gneiss interlayered with biotite schist and amphibolite of the Tatnic Hill Formation, Yantic Member. Outcrops noted onsite were biotite schist and amphibolite (Fahey and Pease, 1977; NUS/FIT, 1988). Both bedrock units are well foliated and fractured, and the fractures in the bedrock are able to yield groundwater (Fahey and Pease, 1977; NUS/FIT, 1988). Presuming that the water table surface mimics local topography, groundwater flow would be to the east-southeast in the vicinity of the facility.

The facility uses a well screened in bedrock for a bathroom water supply; this water is occasionally used for drinking purposes (NUS/FIT, 1988). The groundwater at the facility is classified as GB/GA, described as groundwater known or presumed to be contaminated due to existing activities which pose a threat to groundwater quality (Zimmerman, 1989).

Coventry residents receive their drinking water supply from a small municipal supply system, several private water companies, and private wells. South Coventry Water Supply Company owns four wells located within one mile of the facility, which served 500 Coventry residents in 1986 (Figure 1). Two of these wells are located 260 feet southwest of the facility and the two others are located 4,200 feet southeast of the facility. The screen interval of these wells was not found in the reference material. Three of the four wells are currently in operation. The fourth well is not being used due to an abundance of water supplied by the other three wells (Montembeau, 1989a). The groundwater within the area of influence of these wells is classified by the CT DEP as Class GAA, indicating that the groundwater is an existing or planned public drinking water supply. The groundwater is presumed to be suitable for direct human consumption, without water treatment (Zimmerman, 1989).

Other towns located within four miles of the facility are Columbia and Mansfield, Connecticut. A total of 42 wells owned by 21 private water companies are located within four miles of the facility.

These wells serve housing developments and apartments in the towns of Coventry, Mansfield and Columbia. Fourteen of these companies served a population of 2,280 in 1986. Available information did not indicate the population served by the seven other companies. Table 2 summarizes the locations and populations served by these wells (CT DEP, 1982 and 1986).

Public water systems in the towns of Columbia, Coventry, and Mansfield served a combined total population of 20,061 in 1986. Columbia's public water supply system consists of three private water company wells, which served a total population of 170 in 1986. One of these three wells (Woodland Terrace Association) is located within four miles of the facility (Table 2). Mansfield's public water supply system consists of 22 private water systems and two state operated water systems, which served a total population of 16,950 in 1986. The remaining 13,739 residents of these towns relied on private wells for a drinking water supply in 1986. Some of these wells may be within four miles of the facility (CT DEP, 1982; 1986; USGS, 1970; 1983a; 1983b; 1984a; and 1984b).

RESULTS

A tap water sample was collected from the facility's bathroom sink by the Connecticut Department of Health Services (CT DOH) on October 29, 1981. Analysis of this sample indicated 43 parts per billion (ppb) of methylene chloride (CT DEP, 1987).

NUS/FIT personnel collected onsite tap water and soil samples on March 14, 1989. A total of six soil samples, including one replicate/ duplicate (from location SS-02R/D; duplicate for inorganic analysis and replicate for volatile organic compound analysis were collected. Soil was sampled from four locations at depths of two to three feet, downslope of the septic tank leach field in order to determine if wastes disposed of into the septic tank have migrated to the soil. One shallow soil sample--from location SS-03--was collected near the garage door to the furniture stripping area from a depth of 3 to 6 inches, to determine if surface soils had been contaminated from accidental spillage (Figure 2).

Two tap water samples, including the replicate, were collected from the facility's bathroom sink in order to obtain current data for groundwater quality onsite. The aqueous samples collected for inorganic analysis were field filtered. A field blank consisting of deionized water from the EPA New England Regional Laboratory was collected, handled, and analyzed the same as the tap water sample and replicate. All samples were collected in accordance with procedures outlined in the Task Work Plan dated October 27, 1988. There were no sustained readings above background registered on the HNu Photoionization Detector or the Victoreen radiation meter during soil and sediment sampling. A summary of all samples collected by NUS/FIT is shown in Table 3.

All samples were analyzed at a Contract Laboratory Program laboratory for the presence of volatile organic compounds and inorganic elements. Lower detection limits were requested for methylene chloride, since this common lab contaminant was used onsite and had been detected in the tap water sample collected by CT DOH. Lower detection limits were also requested for the tap water samples. The analytical results are presented in Tables 1 through 4 in Appendix A. The detection limits are found in Tables 5 through 6 in Appendix B.

TABLE 1

SPECIES OF SPECIAL CONCERN WITHIN FOUR MILES OF DIP N' STRIP

Hemicarpha micrantha, sedge

Passerculus sandwichensis, savannah sparrow

Gaylussacia dumosa, dwarf huckleberry

Physa vernalis, fresh water snail

Cyprepedium reginae, showy lady-slipper

Cyrinophilus porphyriticus *

Fossaria exigua *

Corollorhiza trifida, early coral root

Castilleja coccinea, indian paint-brush

Scleria pauciflora var carolina, nut rush

Orontium aquaticum, golden club

(Murray, 1989)

^{*} Reference did not include common names.

TABLE 2
WATER SUPPLY WELLS WITHIN FOUR MILES OF DIP N' STRIP

Water Company	Number of Wells	Location Relative to Facility	Town	Population Served (if determined)
Woodland Terrace	1	4 miles S	Columbia	52
Lakeview Terrace	4	1 mile SW	Coventry	ND
Lakewood Heights	4	1 mile WSW	Coventry	210
Reynolds Drive Supply	1	1.7 miles WSW	Coventry	ND
Coventry Housing Authority	1	0.8 miles NNW	Coventry	ND
Nathan Hale Heights	2	1.5 miles SSE	Coventry	160
East View Acres	2	3.3 miles N	Mansfield	69
Lindsay Supply	1	3.5 miles N	Mansfield	ND
Valley Mobile Home Park	1	4 miles N	Mansfield	ND
Renwood Apartments	3	4 miles NNE	Mansfield	190
Clubhouse Apartments	2	3.7 miles NNE	Mansfield	132
Hunting Lodge Apartments	1	3.5 miles NNE	Mansfield	94
Hollinko Apartments	2	3.5 miles NE	Mansfield	ND
Carriage House Apartments	1	3 miles NE	Mansfield	192
Orchard Acres	4	3.4 miles NE	Mansfield	264
Knollwood Acres Apartments	3	3.5 miles NE	Mansfield	320
Birchwood Heights	3	4 miles E	Mansfield	72

TABLE 2 (cont.)
WATER SUPPLY WELLS WITHIN FOUR MILES OF DIP N' STRIP

Water Company	Number of Wells	Location Relative to Facility	<u>Town</u>	Population Served (if determined)
College Park Condominiums	1	2.7 miles E	Mansfield	ND
Maplewood Apartments	2	4 miles E	Mansfield	204
Burkamp Mobile Park	2	2.3 Miles SE	Mansfield	38
Mansfield Training School (State Owned)	3	3.2 miles NNW	Mansfield	705

ND = Not determined.

TABLE 3

SAMPLE SUMMARY

DIP N' STRIP

Tap water and soil samples collected by NUS/FIT on March 14, 1989.

Sample Location/ Sample Card Number	Traffic Report Nos*.	Remarks	Sample Source
Soil Samples:			
SS-01 21500	AP221 MAL095	grab; 2 feet deep	Collected S5W and 30 feet from southwest corner of building.
SS-02 21501	AP222 MAL097	composite 3 feet deep	Collected \$14E and 39 feet from southwest corner of building.
SS-02D/R 21502	AP223 MAL097	composite (VOA grab) 3 feet deep	Replicate of SS-02 for VOC** analysis. Duplicate of SS-02 for inorganic analysis.
SS-03 21503	AP224 MAL098	grab; 3 to 6 inches deep	Collected 11 feet south of west end of garage door.
SS-04 21504	AP225 MAL099	grab; 3 feet deep	Collected S32E and 51 feet from southwest corner of building
SS-05 21505	AP226 MAL100	grab; 2 feet deep	Background, collected N45W and 21 feet from northwest corner of one story building.
SS-06 21506	AP227	grab	Trip blank for VOC** analysis from NUS/FIT.

DIP N' STRIP

Tap water and soil samples collected by NUS/FIT on March 14, 1989.

Sample Location/ Sample Card	Traffic	Remarks	Sample Source
Number	Report Nos*.	Remarks	Sample Source
Tap Water Samples:			
GW-01	AP228	grab;	Tap water sample
21507	MAL145	field filtered***	collected from bathroom sink of facility building.
GW-01R	AP229	grab;	Replicate of GW-01.
21508	MAL146	field filtered***	
GW-02	AP230	grab;	Field blank from 2
1509	MAL147	field	EPA's New England
		filtered***	Regional Laboratory.

Number on top is the organic traffic report number. Number on bottom is the inorganic traffic report number.

^{**} VOC = Volatile Organic Compound.

^{***} Only the inorganic aqueous samples were filtered.

Note that sample results qualified by a "J" on the tables are considered approximate due to limitations identified during the quality control review. In addition, organic sample results reported at concentrations below detection limits and confirmed by mass spectrometry are qualified by a "J" and considered approximate.

Soil Samples:

There were no volatile organic compounds detected in the background sample collected from location SS-05. Acetone and 2-butanone were the only volatile organic compounds detected in onsite soil samples at concentrations greater than three times the background sample detection limits (Appendix A, Table 1). Both contaminants were present only in the sample from location SS-04. Acetone was detected at 69 parts per billion (ppb), approximately 35 times the background sample detection limit, and 2-butanone was detected at 16J ppb, approximately eight times the background sample detection limit.

Three inorganic elements were detected in the sample from location SS-03 at concentrations greater than three times those detected in the background sample from location SS-05 (Appendix A, Table 2). These elements are barium (2,890J parts per million (ppm)); 45 times the background concentration), lead (4,540 ppm; 405 times the background concentration), and zinc (1,450J ppm; 36 times the background concentration). Additionally, cadmium (2.1 ppm), mercury (3.3J ppm), selenium (0.35J ppm), and silver (0.99 ppm) were detected in the sample from location SS-03 and not detected in the sample from the background location. The greatest number of elements (19) were detected in the sample from location SS-03.

Lead was also detected at concentrations three times those found in the background location, in the samples from locations SS-01, SS-02, and SS-02R.

Tap Water Samples:

Methylene chloride was detected in both tap water samples at concentrations of 1.3J and 2.3J ppb, approximately three times and five times the concentration detected in the blank sample, respectively (Appendix A, Table 3). There is no Maximum Contaminant Level for methylene chloride; however, the Connecticut Department of Health Services Action level for methylene chloride in drinking water is 25 ppb (Zimmerman, 1989).

Inorganic elements detected in the tap water samples included: calcium, copper, magnesium, potassium, and sodium (Appendix A, Table 4). Copper was detected in the tap water samples at concentrations of 43.8 ppb and 50.0 ppb, seven and nine times the concentration detected in the blank sample. There are no Maximum Contaminant Levels for these inorganic elements. The concentration of sodium detected was approximately three times greater than the Department of Health Services Maximum Permissible Level for sodium in drinking water. The Coventry Health Director and Health Department were notified of the results (Zimmerman, 1989).

According to the Connecticut Department of Health Services, lead and sodium were detected at concentrations greater than the Connecticut State Action Levels in groundwater samples collected from the South Coventry Water Supply Company wells during a sampling round conducted April 6, 1989. No volatile organic compounds were detected (Montembeau 1989b).

SUMMARY

Dip N' Strip is located at 1340 Main Street (Route 31) in a residential area of Coventry, Connecticut. The facility consists of a two story building on approximately three acres of land. The building is used

C-583-1-0-148 January 18, 1990

as a retail antique shop and as a furniture stripping shop. Both businesses are currently owned and operated by Allan Wass.

Furniture stripping operations took place between 1973 and March of 1989. From 1973 to 1978, approximately 100 gallons per month of furniture stripping waste consisting of methylene chloride sludge, acetone, n-propanol, and toluene were discharged to the facility's septic system. In 1978, the CT DEP ordered the owner of the facility to stop the discharge and obtain a licensed hauler for the removal of the paint stripping wastes. The stripping wastes and the spent solvents are currently stored in drums onsite prior to removal.

NUS/FIT personnel collected three aqueous and six soil samples on March 14, 1989. Volatile organic compounds were detected in onsite soil samples at concentrations ranging from three times the background detection limit to 35 times the background detection limit. Inorganic elements were detected in onsite soil samples at concentrations ranging from three times the background concentration to four hundred times the background concentration. Inorganic elements were also detected in a tap water sample obtained from an onsite well.

Volatile organic compounds detected onsite included acetone, 2-butanone, and methylene chloride. Acetone and 2-butanone were detected in the sample from location SS-04, which is located downslope of the septic tank and leachfield. Methylene chloride was detected in the tap water sample.

Inorganic elements detected in the soil samples at concentrations ranging from three times the background concentration to four hundred times the background concentration include barium, lead, zinc, cadmium, mercury, selenium, and silver. The greatest number of elements were detected in the sample from location SS-03, which is located near a garage door leading to the furniture stripping area of the building. Additionally, copper, calcium, magnesium, potassium and sodium were detected in the tap water sample. Inorganic elements were not reported to have been used during onsite activities; however, it is likely that the company stripped furniture containing heavy metal pigments.

The nearest groundwater users are the Dip N' Strip personnel who drink water from a well located on the property. It is unknown by NUS/FIT whether any other private wells in the immediate area of Dip N' Strip have ever been tested. The nearest municipal wells are maintained by the South Coventry Water Supply Company. They are located 260 feet southwest of the Dip N' Strip property. The wells served approximately 500 Coventry residents in 1986.

Due to the presence of volatile organic compounds and inorganic elements detected in onsite soil and tap water samples, and the proximity of private and municipal water wells to the facility, NUS/FIT recommends that a Listing Site Inspection be performed at the Dip N' Strip facility.

Submitted By:

Michael I. Montembeau

Project Manager

Approval:

Robert Jubach FIT Office Manager

MIM:mah

REFERENCES

CT DEP. 1980. Hazardous Materials Management Unit Inspection Report. Dip N' Strip. Inspected by H. Hodge, Inspector. Connecticut Department of Environmental Protection. September 26.

CT DEP. 1982. Atlas of Public Water Supply Sources and Drainage Basins of Connecticut, DEP Bulletin No. 4, June.

CT DEP. 1984. "Preliminary Assessment, Dip N' Strip". EPA Form 2070- 12. May 10.

CT DEP. 1986. Directory of Community Water Systems in Connecticut, Water Use Information Program, Natural Resources Center.

CT DEP. 1987. Memo to File from Kenneth Major (CT DEP), RE: September 30, 1987, Inspection of Dip N' Strip facility. December 24.

Fahey, F. J.; Pease, M.H. 1977. Preliminary Bedrock Geologic Map of the South Coventry Quadrangle, Tolland County, Connecticut.

Kurpaska, A. (NUS/FIT). 1989a. Telecon with Allan Wass (Dip N' Strip), RE: Site Access and ceasing stripping operations. Dip N' Strip. TDD No. F1-8811-18. February 24.

Kurpaska, A. (NUS/FIT). 1989b. Telecon with Allan Wass (Dip N`Strip), RE: Years of facility operation. Dip N' Strip. TDD No. F1-8811-18. May 5.

Kurpaska, A. (NUS/FIT). 1989c. Telecon with Kenneth Majors (CT DEP), RE: Recent CT DEP inspection of the Dip N' Strip facility. Dip N' Strip. TDD No. F1-8811-18. January 18.

Kurpaska, A. (NUS/FIT). 1989d. Telecon with Eric Schluntz (CT DEP Eastern District Office), RE: Uses of the Willimantic and Shetucket Rivers. Dip N' Strip. TDD No. F1-8811-18. May 10.

Montembeau, M. (NUS/FIT). 1989a. Telecon with Jake Ladoit (South Coventry Water Supply Company), RE: Current status of supply wells. Dip N' Strip. TDD No. F1-8811-18. August 30, 1989.

Montembeau, M (NUS/FIT). 1989b. Telecon with Connecticut Department of Health Services, RE: Water Quality of South Coventry Water Supply Company Wells, December 5.

Murray, N. (CT DEP). 1989. Letter to Tony Kurpaska (NUS/FIT), RE: Endangered and Threatened Species. July 17.

NUS/FIT. 1988. (issued) Logbook No. 88-1306. Dip N' Strip Screening Site Inspection. TDD No. F1-8811-

Stone, J.R.; Schafer, J.P.; London, E.H.; and Thompson, W.B. 1985. Preliminary Draft Surficial Materials Map of Connecticut." U.S. Geological Survey Special Geologic Map, prepared in cooperation with the Connecticut State Geological and Natural Survey. Open File Number 85-266.

USGS. 1970. Willimantic Quadrangle, Connecticut. U.S. Geological Survey, 7.5' Series (topographic). 1953, Photorevised 1970.

USGS. 1983a. Coventry Quadrangle, Connecticut. U.S. Geological Survey, 7.5'Series (topographic).

USGS. 1983b. Spring Hill Quadrangle, Connecticut. U.S. Geological Survey, 7.5' Series (topographic).

USGS. 1984a. Columbia Quadrangle, Connecticut. U.S. Geological Survey, 7.5' Series (topographic). 1953, Photorevised 1984.

USGS. 1984b. Rockville Quadrangle, Connecticut. U.S. Geological Survey, 7.5' Series (topographic). 1967, Photorevised 1984.

Wass, A. 1988. 1987 Large and Small Quantity Generator Hazardous Waste Report. March 21.

Zimmerman, D. (CT DEP). 1989. Letter to US EPA Region I, RE: Comments on Draft SSI. Dip N' Strip. TDD No. F1-8911-18. October 30.

APPENDIX A

NUS/FIT

ANALYTICAL RESULTS

Table 1	CLP Volatile Organic Analysis Soil Analytical Results
Table 2	CLP Inorganic Analysis Soil Analytical Results
Table 3	CLP Volatile Organic Analysis Tap Water Analytical Results and Quantitation Limits
Table 4	CLP Inorganic Analysis Tap Water Analytical Results and Detection Limits

TABLE 1 Page 1 of 1
DIP 'N' STRIP
MATCH 14, 1989
CLP VOLATILE ORGANIC ANALYSIS
CASE NO. 11593, SDG NO. AP221
SOIL ANALYTICAL RESULTS (ug/Kg)

A blank space indicates the volatile organic compound (VUL) was not detected. J. Quantitation is approximate due to limitations identified during the quality control review.

Sample Quantitation Limits for the compounds listed above are reported in Appendix <u>B</u> Table <u>S.</u>

TABLE 2 Page 1 of 1 DIP N STRIP MARCH 14, 1989 CLP INORGANIC ANALYSIS Case No. 11593, SDG NO. MALO95 SOIL ANALYTICAL RESULTS (mg/kg)

mple marks marks marks congan organ time continum later continum l	Fic Report Number 10500 21501 21502 21503	Sample Location	88-01	88-02	SS-02R	SS-03	SS-04	SS-05		
Fic Report Number MAL095 MAL096 MAL097 MAL096	Fic Report Number MAL095 MAL096 MAL097 MAL096	Sample Number	21500	21501		21503	21504	21505		
### REPLICATE REPLICATE REPLICATE	Second Color	Traffic Report Number	MAL095	MAL096		MAL098	MAL099	MAL 100		
10900 8760 9100 10900 10900 10900 10000 10000 11100 11100 10900 1111000 1111000 1111000 1111000 1111000 1111000 1111000 1111000	10900 8760 9100 10900 10900 10900 10000	Remarks						BACKGROUND		
10900 8760 9100 10900 10900 10900 10000	10900 8760 9100 10900 10900 10000	Inorganic Elements								
mony	mony		10900	8760		00001	10600	17500		
1.7 1.7 2890.5 1.1 1.7 1.7 1.7 1.7 1.7 1.5 1.7 1	1.7 1.7 1.890 1.7 1.7 1.1 1.7 1.1 1.	>			!		11.93	10 9 1		
111 11 11 11 11 12 13 14 15 15 15 15 16 15 16 15 16 15 16 15 16 15 16 15 16 16	11 1 1 1 1 1 1 1 1				1.7		6.1	20.00		
110m	ium P 1190 2010 1880 2700 ium P 1190 2010 1880 2700 it 18.5 16.2 16.5 74.8 st 5.9 5.4 9.1 st 1320 11600 11800 1970 ss ium P 1320 174 46.7 ss ium P 145 174 160 1970 ss ium P 10.3 9.2 10 11.9 ss ium P 1870 1320 160 1700 ss ium P 1870 1320 1610 1700 ss ium P 274 152 1610 1700 ss ium P 26.4 21.8 23 28.1 stium P 26.4 21.8 23 28.1 stium P 26.4 21.8 23 28.1 ide C NA N		49.97	48.603	50.23	28903	42.63	64.63		
ium P 1190 2010 1880 2700 111 11	ium P 1190 2010 1880 2700									
### 18.5 16.2 16.5 74.8 ### 18.5 16.2 16.5 74.8 ### 18.5 16.2 16.5 74.8 ### 18.5 16.2 16.5 74.8 ### 18.5 16.0 11800 19700 ### 18.6 38.6 38.9 37.9 4540 ### 18.6 2570 2720 3220 ### 18.7 10.3 9.2 10 11.9 ### 18.7 19.2 16.1 17.0 ### 18.7 19.2 16.1 17.0 ### 18.7 19.2 19.1 ### 18.7 19.2 19.1 ### 18.7 19.2 19.1 ### 18.7 19.2 19.0 ### 18.7 19.2 19.0 ### 18.7 19.2 19.0 ### 18.7 19.2 19.0 ### 18.7 19.2 19.0 ### 18.7 19.2 ### 18.7 19.2 ### 18.7 19.2 ### 18.8 19.8 ### 18.8 ###	18.5 16.5 74.8 18.5 16.5 74.8 18.5 16.5 74.8 18.5 16.5 74.8 18.5 16.5 74.8 18.5 18.5 19.2 18.5 18.5 19.7 18.5 18.6 18.7 18.6 18.9 18.7 18.6 18.8 18.7 18.8 18.8 18.8		1190	0100	0001	2.1		œ	_	
t	t		18.50	16.2	000	27,00	0761	1170	_	
esium P 22.3 20.7 17.2 49.7 17.2 49.7 17.2 49.7 17.2 49.7 17.2 49.7 17.2 49.7 19.0 19.0 19.0 19.0 19.0 19.0 19.0 19.0	er P 22.3 20.7 17.2 49.7 and the color materic color whether a serious color metric color whether a serious color metric color whether a serious color metric color whether color whether color metric color whether color whether color whether color whether color whether color metric color whether co		?	9 6	0.4	B	6.3	35.13		
Bestum P 13200 11600 11800 19700 anese P 38.6 38.9 37.9 4540 anese P 145 174 166 2720 3220 anese P 145 174 166 239 anese P 16.3 9.2 10 11.9 anese P 1870 1320 1610 1700 anese P 1870 1320 1610 1700 anese P 274 152 130 118 anese P 26.4 21.8 23 28.1 anese P 36.4 37.2 41.8 anese the element Furnace ICP/Flame AA R Value is rejected.	## 13200 11600 11800 19700 ## 1380 2570 2720 3220 ## 145 174 166 239 ## 160 11800 19700 ## 160 11800 11900 ## 160 11900 11900 ## 160 11900 1190 ## 160 1190 1190 ## 160 1190 1190 ## 160 1190 1190 ## 160 1190 1190 ## 160 1190 1190 ## 160 1190 1190 ## 160 1190 1190 ## 160 1190 ## 160 1190 ## 160 1190 ## 160 1190 ## 160 1190 ## 160 1190 ## 160 1190 ## 160 1190 ## 160 ##		22.3	20.7	17.2	7.00	4.3	6.01		
Bestum P 38.6 38.9 37.9 4540 anese P 145 174 166 239 Juny CV CV 10.3 9.2 10 11.9 ssium P 1870 1320 1610 1700 Jium F 274 152 130 118 Jium P 26.4 21.8 23 28.1 Jium P 36.4J 37.2J 41.8J 1450J Jium P 36.4J 37.2J 41.8J 1450J Kitcal Method NOTE: A blank space indicates the element Cold vapor NA NA NA NA NOT Analyzed	Besium P 38.6 38.9 37.9 4540 anese P 3180 2570 2720 3220 July CV CV 10.3 9.2 10 11.9 ssium P 1870 1320 1610 1700 July CV 10.3 9.2 10 11.9 ssium P 1870 1320 1610 1700 July CV 10.3 9.2 10 11.9 July CV 10.3 10.3 10.3 July CV 10		13200	11600	11800	19700	11100	21000		
### 145 1720 3220	### 145 2720 3220 3220 3220 3220 3220 3220 3230		38.6	38.9	37.9	4540	23 3	11 20		
anese P 145 174 166 239 Lucy CV	anese P 145 174 166 239 551um P 10.3 9.2 10 11.9 551um F 1870 1320 1610 1700 51um F 1870 1320 1610 1700 51um F 1870 1320 1610 1700 61um F 1870 1320 1610 1700 61um F 1870 1320 1610 61.99 61.00		3180	2570	2720	3220	2640	6400		
Sesium	Section P 10.3 9.2 10 11.9		_	174	166	239	141	212		
Ssium F 10.3 9.2 10 11.9 11.9 15.0 15.0 17.00 17	el P 10.3 9.2 10 11.9 ssium P 1870 1320 1610 17.00 sium P 274 152 130 11.8 flum F 26.4 21.8 23 28.1 sium P 26.4 21.8 23 28.1 sium P 36.4J 37.2J 41.8J NA rical Method NOTE: A blank space indicates the element runace J Quantitation is approximate due Cold Vapor NA NA NA Cold Vapor NA NA Not Analyzed	>			!	3.3.1		67.7		
ssium P 1870 1320 1610 1700 ar P 274 152 130 118 lium P 274 152 130 0.99 lium P 26.4 21.8 23 28.1 lium P 36.4J 37.2J 41.8J 1450J lide C NA	ssium P 1870 1320 1610 1700 ar P 274 152 130 118 Jium P 274 152 130 118 Jium P 26.4 21.8 23 28.1 Jium P 36.4 37.2 41.8 NA Alcai Method NOTE: A blank space indicates the element Cold Vapor NA Not Analyzed Colorimetric NA Not Analyzed		_	9.2	01	6.1	11.2	1 01		
152 130 118 159 130 118 150 118	State Stat		1870	1320	1610	1700	1020	3740		
152 130 118 150 118 150 118	152 130 118					0.35	2	?		
152 130 118 158 130 118 130 118 130	152 130 118					66.0				
1	Jum F 26.4 21.8 23 28.1		274	152	130	118	165	103		
140m	140m P 26.4 21.8 23 28.1 28.1 36.4J 37.2J 41.8J 1450J		The contract of the contract o				3	3		
ide C NA	ide C NA NA NA NA NA NA NA NA NA NOTE: A blank space indicates the element of the color important of the color imp	atom	26.4	21.8	23	28.1	26	74 4		
anide C NA Salytical Method NOTE: A blank space indicates the element J Quantitation is approximate due ICP/Flame AA R Value is rejected.	anide C NA		36.47	37.23	41.87	1450.1	26.2.1	40.4		
alytical Method NOTE: A blank space indicates the element Furnace J Quantitation is approximate due ICP/Flame AA R Value is rejected.	alytical Method NOTE: A blank space indicates the element Furnace J Quantitation is approximate due ICP/Flame AA R Value is rejected. Cold Vapor Colorimetric		ď Z	4 N	A N	AN	NA	NA.		
Furnace J Quantitation is approximate due ICP/Flame AA R Value is rejected.	Furnace J Quantitation is approximate due ICP/Flame AA R Value is rejected. Cold Vapor NA Not Analyzed Colorimetric	Analytical Method		1	indicates		400			
ICP/Flame AA R Value is rejected.	ICP/Flame AA R Value is rejected. Cold Vapor Colorimetric	F Furnace		i	-		as not detect	Tred.	40 410	
Cold Vapor	Cold Vapor Colorimetric				rejected.				d in the quality control revies	
					pez,					

Sample Detection Limits for the elements listed above are reported in Appendix B Table 6.

TABLE \$\) Page 1 of 1
DIP 'N' STRIP
March 14, 1989
CLP VOLATILE ORGANIC ANALYSIS
CASE NO. 11593, SDG NO. AP221
GROUNDWATER ANALYTICAL RESULTS (ug/L)

Sample Location	-	GW-01	GW-01R	GW-02		
Sample Number	 	AP228	AP229	AP230		
Traffic Report Number	1	21507	21508	21509		
Remarks	 		Replicate	Blank		
Sampling Date Analysis Date	 	3-14-89	3-14-89	3-14-69		
VOLATILE ORGANIC COMPOUND CR	CROL					
Chloromethane Bromomethane Vinyl Chloride Chloroethane	0000					
Acety Acety Carbon Olsulfide	. 5 r	2 6	32.1	3		
9 0	اماما					je:
1,2-Dichloroethene (Total) Chloroform 1,2-Dichloroethane	م م م					
2-Butanone 1,1,1-Trichloroethane	5 m					
Vinyl Acetate Bromodichloromethane	. 5 ro					
1,2-Dichloropropane cis-1,3-Dichloropropane Trichloroethene						
Ulbromochloromethane 1,1,2-Trichloroethane Benzena	n w w					
trans-1,3-Dichloropropene	വവ					
900	22					
Tetrachloroethene 1,1,2,2-Tetrachloroethane	വ വ					
Toluene	LD LD	2	2			
Ethylbenzene Styrene	 ທ ທ					
Xylene (Total) Total VOC concentration (ug/L)		3.81	2.62)	0.57		*1
	-	A blan	×	cates the vo	space indicates the volatile organic compound (VOC) was not detected.	

A blank space indicates the volatile organic compound (VOC) was not detected. Quantitation is approximate due to limitations identified during the quality control review.

CROL

MARCH 14, 1989 CLP INORGANIC ANALVSIS CASE NO. 11593, SDG NO. MAL095 TAP WATER ANALVTICAL RESULTS (ug/L) DIP N STRIP TABLE

Sample Location		GW-01	GW-01R	GW-02		
Sample Number		21507	21508	21509		
Traffic Report Number		MAL145	MAL 146	MAL 147		
Remarks			REPLICATE	BLANK		
Inorganic Elements	Detection					
Aluminum	125					
Antimony	40					
Arsenic	1.2					
Bartum	4	42n	4103	147		
Beryllium	0.3	NOT CONTROL OF THE PROPERTY OF				
Cadmium	e	000000000000000000000000000000000000000				
Calcium	45	00669	74600	88		
Chromium.	മ	3	3	รา		
Cobalt	2	ATTENDED TO ANALYSIS				
Copper	e	43.8	20	S. 6		
	92					
	6.0	0.920	1.10			
	1001	4960	2300			
Se	4	62.6	65.7			
^	0.5	7	3	3		
	6					
F	240	7640	8200			
E	1.5	3	3	3		
	9					
Sodium	125	59400	63900	193		
Thalltum	3.3					
E CE	4					
Zinc	2	38.300	36.100			
Cyanide	¥ Z	¥ Z	AN .	AN		
Analytical Method	NOTE.	deld	tod to a to	1		
F Furnace			6	accordante due t	was not detected.	
			9000			
CV Cold Vapor	n	Detection		proximate du	is approximate due to limitations identified during the quality	quality
0,000	2	Control				
	ď.	A NOT ANALYZED	780			

Detection limit is approximate due to limitations identified during the quality control review.

Not Analyzed

Revised sample detection limit ¥ ɔ

APPENDIX B

NUS/FIT

DETECTION LIMITS, QUANTITATION LIMITS, AND ACTION LIMITS

Table 5

CLP Volatile Organic Analysis Soil Sample Quantitation Limits

Table 6

CLP Inorganic Analysis
Soil Sample Detection Limits

TABLE 5 Page 1 of 1
DIP 'N' STRIP
March 14, 1989
CLP VOLATILE ORGANIC ANALYSIS
CASE NO. 11593, SDG NO. AP221
SOIL SAMPLE QUANTITATION LIMITS (UG/KG)

o Company of Company		2000	320-CE	22-03	SS-04	SS-05	90-88		H
	AP221	AP222	AP223	AP224	AP225	AP226	AP227		
raffic Report Number	21500	21501	21502	21503	21504	21505	21506		1
lemarks			Replicate			Background	Blank		
OLATILE ORGANIC COMPOUND									-
hloromethane	2	2	6	6	6	-	,		
romomethane	18	10	7 7	. m	7 7	7 7	v 70		
Inyl Chloride	~ ~	0 0	2 0	e (8	2	2		
Dethylene Chloride	٧-	7 -	7 -	m -	7 -	2 -	. 2	2.25	
		- ~	- 0	- ~	- 0	- 0	- (
arbon Disulfide		۰ -	y -		٧ -	7 -	7 -		
400000000000000000000000000000000000000	-		•		- 0 -			3/3	
			- •		- •				
, 2-Dichidroethene (lotal)									
2-04-ch locos thans							-		
- A - D - C - C - C - C - C - C - C - C - C	- 0	- 0	- 0	- ~	- 0	- 0	- 0		
1 1-Trichloroathana		٠-	٠-	, -	٠-	۷-	٧-	10	
arbon Tetrachloride	_	-	-		-			18	
Inyl Acetate	7	7	. 2	. ю	8	2	2		
	-	-	-	-	-	_	-		
.2-Dichloropropane	-	-	_	-	_	-	-		
is-1,3-Dichloropropene	-	-	_	_	-	-	-		
richloroethene	-	-	_	-	_	_	_		
ibromochloromethane	-	-	_	_	_	_	_		
1 2-Trichloroathana	-	-	_	_	-	_	_		
000000000000000000000000000000000000000		-	-	_	_	_	_		
rans-1 3-Dichloropropana	-	_	-	_	-	_	-		
		-	_	-	-	-	-		
-Methyl-2-pentanone	2	2	2	8	2	2	2		
-Hexanone	8	2	2	<u>-</u>	2	7	7		
etrachloroethene	-	-	_	-	-	_	_		
1.2.2-Tetrachloroethane	_	-	-	-	-	-	_		
oluene	_	ဇာ	_ _	-	-	-	-		
hlorobenzene	_	-	_ _	-	-	_	-		
thylbenzene	_	-	- -	-	-	_	-		
tyrene	_	-	_	-	-	_	-		
(Total)	e	_	S	-	-	-	-		

TABLE & Page 1 of 1 DIP N STRIP MARCH 14, 1989 CLP INORGANIC ANALYSIS CASE NO. 11593, SDG. NO. MALO95 SOIL SAMPLE DETECTION LIMITS (mg/kg)

04 SS-05	04 21505	39 MAL100	BACKGROUND	89.3% 91.4%				0.2 0.2			3.7 R	9.6	_	2.2 2.2	. 7		_	_		- 0.1	_	52.5	0.30			_		4.0	
SS-04	21504	MAL099	<u> </u>		ļ		_	_	-0.	-	_	_	_	_		_	_	_		<u>.</u>		53	3 0.303						
88-03	21503	MAL098		82.8%		30 3		0.307	_	_	0.7	_	_	2.	_	_	_	24.2	_	_	2.	58.	0	_	30		; <u>-</u>	0	
SS-02R	21502	MAL097	REPLICATE	80.08		27 6	8.803	0.2	0.9	0.1	0.7	6.6	-	2.2	0.7	18.7	33.0	22.0	0.0	0.10	2.0	52.903	0.303	6.0	27.5	0.7	0.0	0.4	
SS-02	21501	MAL096		91.9%		27.1	8.703	0.203	6.0	0.1	0.7	8.6	-	2.5	0.7	18.5	32.6	21.7	6.0	0.107	2.0	52.10J	0.303	6.0	27.1	0.7	6.0	0.4	
SS-01	21500	MAL095		87.8%		28.5	9.103	0.30	6.0	0.1	0.7	10.3	-	2.3	0.7	19.4	34.2	22.8	0.0	0.107	2.1	54.703	0.307	6.0	28.5	0.7	6.0	0.5	
					Instrument Detection Limits (ug/L)	125.0	40.0	-	4.0	0.3	3.0	45.0	2.0	0.01	3.0	85.0	30.0	100.0	4.0	0.20	0.6	240.0	1.4	4.0	125.0	3.0	4.0	2.00	474
Sample Location	Sample Number	Traffic Report Number	Remarks	Percent Solids	Inorganic Elements	Aluminum p	Antimony P	Arsenic	d carica	Beryllium	Cadmium	Calcium Calcium	בחותש				Lead		98	^		Potassium P	E	Stiver	Sodium	Thailium	Vanadium	Zinc . P	C. actions

A blank space indicates the element was not detected.

Us The detection limit is approximated due to limitations identified in the quality control review (data validation).

R Value is rejected.

NA Not Analyzed. NOTE: Analytical Method
F Furnace AA
P ICP/Flame AA
CV Cold Vapor
C Colorimetric

CERCLIS DATABASE FORM

							DATE:	1/17/90
SITE NAME: CERCLIS No. CTD TDD No. FI-88		trip	PROJEC	TM	NAGER:	Mich	hael I	Montembeau
DIRECTIONS TO SI Follow to Poste 3 OF Poute 275	Llakeale	ft, Facility	84 to	Ko	the ex	: 7 5	r Rout	e 44 onet.
ELEMENT	CERCLIS CO	77.077	DESC	RIPT	ION		ENTRY	
I. FOR ALL PROJEC	TS							
State	C2(2)		Posta	l coc	le	8	CT	
Site ID (If available)	C101(12)		Dun 8 or GS		dstreet			
Site Name	C104(40)					8	Dip	N' Strip
Street Address	C110(25)						1340	Main Street
City	C111(25)						Cover	ntry
County	*TBD						Tolla	nd
Ownership	C136(2)		FF ST CO DI IL MI UN *TBD1 *TBD2 OH	= = = = = = = =	County of District of Indian la Mixed of Unknow Municipa Privately Other	med owned owned inds wnershi n ally owned	ip ned	
Years of operation		*TBD	197	<u>3</u> t	o Current operation	A A	16 year	205
FMS Number if assigned)		C315(4)						
Coordinates	*TBD		Latitu	ide			41°46'1	4"N
			Longi	tude	•		720181	22"W

ELEMENT	(No. of positions)	DESCRIPTION ENTRY	
Recommendation of Most Recent Project at Site	C2103(1)	For PAs: H = High = SSI Required M = Med. = SSI Recommended N = NFRAP = No Further Remed	
		For SSIs: R = Recommended for an LSI D = Deferred to another authoris N = NFRAP = No Further Re Action Planne	medial
		For LSIs: G = Recommended for an HRS So N = NFRAP = No Further Re Action Planne	medial
		R	, s = 5
Note	C2105(20)	Abbreviated Comments	
Reasons for Ineligibility (for Sites Determined Ineligible under			
CERCLA)	*TBD	*TBD1 = Petroleum contamination only *TBD2 = Active RCRA facility *TBD3 = Properly applied pesticide *TBD4 = Nuclear/radioactive waste *TBD5 = All other reasons	y
Agency Responsible for Work at Site	C2117(2)	F = EPA, Fund financed S = State, Fund financed SN = State, no Fund financing FF = Federal facility *TBD = Responsible Party	F_

ELEMENT	CERCLIS CODE (Ng. of positions)	DESCRIPTION		TION	ENTRY
II. ONLY FOR SITE	WITH HRS				
Type of Facility of					
Source	C137(1)	B C L M N F T P A	= = = = = = = = = = = = = = = = = = = =	Landfill Manufactu Military Fac Other Fede mines/tailir Lagoons	nination ring Plant cility ral Facility
If unknown, Type of Waste					
Present		R J *TBD I D	=	Organic Wa	Vaste
If unknown, Type of Receptor					
Affected		V H		Waterways Housing Ar	ea
		*TBD	= = =	Drinking W Ecological F Other	ater Wells Receptors
Abstract	C201(240)	Site (Descr	ription	
	-				
		11			

Site Name: D;p N'Strip CERCLIS No.: CTD065519258 TDD No.: F1 - 8811 - 18 Reference No.: \$375CT\$1\$I

NPL ELIGIBILITY CHECKLIST

	YES	NO	COMMENTS
Are the wastes onsite considered hazardous as defined in CERCLA?			
*Sites covered by other authorities:			
Are the hazardous materials at the site solely petroleum products (gasoline, oil, natural gas)?	-1		
Is the contamination at the site caused solely by pesticides that were applied using an accepted practice?		V	
If the release is into public or private drinking water systems, is it due to deterioration of the system through ordinary use?	<u></u>		
Is the release from products which are part of the structure, and results in exposure within residential, business, or community structures?			
Did the release result in exposure to people solely within a work place?			
Does the facility have an Underground Injection Control permit under the Safe Drinking Water Act?		$\sqrt{}$	
Is the release the result of the normal application of fertilizer?		V	
Does the release involve naturally occurring substances in their unaltered form?		<u></u>	
Does the contamination at the site consist solely of radioactive materials generated by Department of Energy/Atomic Energy Commission activities?			
Is the contamination at the site caused solely by coal mining operations?			
Does the facility have a permit from the EPA or the US Army Corps of Engineers (under the Marine Protection, Research, and Sanctuaries Act) to dispose of dredged materials in ocean waters?			

Site Name: D; p N'Strip CERCLIS No.: CT00655-19258 TDD No.: F1-9911-18 Reference No.: \$37507\$1\$I

	AF2	NO	COMMENTS
*Other issues to site definition:			
Is the site defined solely as a contaminated well field?		V	
Is the site currently owned or operated by a federal agency, or has it been in the past?			
Is the site a municipal landfill?		\checkmark	
 Check if there is documentation of disposal of industrial waste. 			
Does the waste consist of a "special waste" such as fly ash?			
 Check if there is documentation of a hazardous component to the waste. 			
Does the facility have an NPDES permit?		$\sqrt{}$	
 Check if the facility has a history of permit violations. 			
Is the facility subject to ambient air quality standards under the Clean Air Act?		_/	
Does the facility have a permit under the Clean Air Act?		V	
*RCRA Status			
Has the facility notified as a RCRA generator?	$\sqrt{}$		Small Quantity
The facility is a large quantity generator.			
The facility is a small quantity generator.		\checkmark	
Has the facility ever had RCRA interim status or a RCRA permit?	-	$\sqrt{}$	
If yes, check any that apply:			
 The facility is a "non-notifier" or "protective filer" (identified as such by EPA or the state). 			

Site Name: D;p N'Str.
CERCLIS No.: CTDO65519258

TDD No .: F1-8811-18

Reference No.: \$375CT\$1\$I

*RCRA Status (continued)

- The owner of the facility is bankrupt, or the owner has filed for protection under bankruptcy laws (if known).
- A RCRA compliance order or notice of violation has been issued for the facility at some time.

The order or notice concerned:

- conditions that posed a hazard (i.e., a release of contamination to the environment)
- administrative violations (i.e., recordkeeping or financial requirements).
- Some RCRA enforcement action is currently pending at the facility.
- A RCRA permit has been denied or interim status has been revoked for the facility.

The permit or interim status was revoked:

- because of conditions at the facility that posed a hazard OR
- because the facility failed to meet an administrative requirement (i.e., failed to file an acceptable Part B permit application).
- A closure plan has been requested or submitted for the facility under RCRA.
- A closure plan has been requested or submitted for the facility under RCRA.
- A closure plan has been approved for the facility under RCRA.
- The facility is closed and currently monitoring under RCRA regulations.